

# Deli at work





# Prestige®

 JORDAO COOLING SYSTEMS®



32° C  
Ambient  
rated



- Fan-assisted refrigeration display and storage
- Superior performance and European styling
- Four sizes available. External corners available
- Units supplied standard with internal stainless steel finish and hydraulic lift-up glass
- Easy clean and food safe environment
- Rear load refrigerated storage with doors
- Advanced ventilated cooling system
- Curved, toughened safety glass
- Heavy duty castors (feet required for multiplexing)
- Rear Perspex doors
- Rear stainless steel work bench
- Colour: Silver fascia panels (other colours available on request)
- 10 Amp power outlet required
- Rear cold underbench storage with doors
- Multiplexable - can be joined to create one long, seamless counter

#### Applications:

- Cafes
- Juice Bars
- Restaurants
- Hotels and Resorts
- Supermarkets
- Take-aways

#### Options

- Glass shelf
- Sandwich/Salad Bar (see following page)
- Bain Marie (see following page)
- 90° spherical corner - fan assisted built-in refrigeration
- 45° External spherical corner (not refrigerated)
- Multiplexing (additional feet required - POA)






Made in Europe

**WARRANTY** 1 yr PARTS  
1 yr LABOUR

	DD0150P	DD0200P	DD0250P	DD0290P	DD090P	DD045P
	1500mm wide	2000mm wide	2500mm wide	2900mm wide	90° external corner	45° external corner
Bromic Part Number	3335011	3335012	3335013	3335014	3335008	3335009
Dimensions - with castors: Width(mm)	1500	2000	2500	2900	refer diagram below	refer diagram below
Depth(mm)	1123	1123	1123	1123	refer diagram below	refer diagram below
Height(mm)	1389	1389	1389	1389	1389	1389
Display Area m <sup>2</sup>	1.15m <sup>2</sup>	1.56m <sup>2</sup>	1.97m <sup>2</sup>	2.3m <sup>2</sup>	0.96m <sup>2</sup>	0.48m <sup>2</sup>
Front glass hydraulic lift up system	Yes	Yes	Yes	Yes	No	No
Internal Tray Width base shelf (mm)	818	818	818	818	818	818
Temperature range (°C)	+1 to +3°C	+1 to +3°C	+1 to +3°C	+1 to +3°C	+1 to +3°C	+1 to +3°C
Max. ambient temp. / RH	32°C / 60%	32°C / 60%	32°C / 60%	32°C / 60%	32°C / 60%	32°C / 60%
Refrigeration Power (watts)	709W	1160W	1374W	1650W	709W	1160W
Number of doors	2 sliding	3 sliding	4 sliding	4 sliding	2 sliding	2 sliding
Temperature display	Digital	Digital	Digital	Digital	Digital	Digital
Interior light	Fluorescent	Fluorescent	Fluorescent	Fluorescent	Fluorescent	Fluorescent
Gross weight (kg)	178kg	228kg	278kg	320kg	200kg	150kg
Refrigerant	R404a	R404a	R404a	R404a	R404a	R404a
Colour	Silver	Silver	Silver	Silver	Silver	Silver



Optional glass shelf (POA)





### SB105P / SB150P Sandwich-Salad Bar

Fan assisted refrigeration display and storage, designed for sandwich or salad display, presentation and preparation.  
Rear cold underbench storage with doors

### BM105P / BM150P Hot Bain Marie

Heated display and storage (wet heat)  
Designed for heated display and presentation.  
Rear ambient underbench storage with doors

#### Standard Features on all:

- Supplied standard with internal stainless steel finish and hydraulic lift up glass
- Easy clean and food-safe environment
- Curved, toughened safety glass
- Heavy duty castors
- Rear sliding doors
- Rear work bench
- Silver fascia panels (other colours available on request)
- 10 Amp power outlet needed
- Multiplexable: can be joined to form one long seamless counter (additional feet required - POA)



Made in Europe

WARRANTY 1 yr PARTS  
1 yr LABOUR



	SB105P 1050mm wide	SB150P 1500mm wide	BM105P 1050mm wide	BM150P 1500mm wide
Bromic Part Number	3335015	3335020	3335740	3335740
Dimensions - with castors (mm)	1050w x 1123d x 1389h	1500w x 1123d x 1389h	1050w x 1123d x 1389h	1500w x 1123d x 1389h
Display Area m <sup>2</sup>	0.78m <sup>2</sup>	1.15m <sup>2</sup>	0.78m <sup>2</sup>	1.15m <sup>2</sup>
Front glass hydraulic lift up system	Yes	Yes	Yes	Yes
Temperature range (°C)	+1 to +3°C	+1 to +3°C	n/a	n/a
Refrigeration Power (watts)	709W	709W	n/a	n/a
Number of doors	2 sliding	2 sliding	2 sliding	2 sliding
Temperature display	Digital	Digital	Digital	Digital
Interior light	Fluorescent	Fluorescent	Fluorescent	Fluorescent
Gross weight (kg)	115kg	178kg	85kg	138kg
Refrigerant	R404a	R404a	n/a	n/a
Colour (others available on request)	Silver	Silver	Silver	Silver

#### Gastronorm Pan Dimensions

1/1	530mm x 325mm
1/2	265mm x 325mm
1/3	176mm x 325mm
1/4	265mm x 162mm
2/3	354mm x 325mm

NB: Gastronorm trays not supplied

#### Gastronorm Layout Chart



WARRANTY 1 yr PARTS  
1 yr LABOUR

SB105P 1050mm wide  
BM105P

SB150P 1500mm wide  
BM150P